

Species and subspecies for which one third or more of their range occurs in British Columbia during some time of the year

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|------------------------|
| LICHENS* | | | | | | | | |
| Vinyl lichen | <i>Leptogium tetrasporum</i> | P | | Y | BLUE | NA | | Alaska |
| Old-growth Paw | <i>Lobaria silvae-veteris</i> | R | | Y | BLUE | NA | Coast-intermontane old-growth low elevation forests | Alaska, Washington |
| Old-growth Bearhair | <i>Lichinodium canadense</i> | R | | Y | RED | NA | Skeena Watershed, Revelstoke Area | Alaska |
| *Source: T. Goward, pers. comm. | | | | | | | | |
| MOSSES | | | | | | | | |
| A Ragged moss | <i>Brachythecium reflexum</i> var. <i>pacificum</i> | L | | Y | BLUE | NA | | Alaska |
| | <i>Bryoerythrophyllum alpigenum</i> | L | | Y | BLUE | NA | | Alaska |
| Fire moss var. <i>rotundifolius</i> | <i>Ceratodon purpureus</i> var. <i>rotundifolius</i> | L | | Y | RED | NA | | Alaska |
| Curly Heron's-bill moss var. <i>congestum</i> | <i>Dicranum fuscescens</i> var. <i>congestum</i> | L | | Y | RED | NA | | Alaska |
| A Gnome-cap moss | <i>Encalypta affinis</i> ssp. <i>affinis</i> | L | | Y | BLUE | NA | | Alaska |
| | <i>Hypnum holmenii</i> | L | | Y | BLUE | NA | | Alaska |
| | <i>Schistidium boreale</i> | L | | Y | BLUE | NA | North | Alaska |
| A Peat moss | <i>Sphagnum wilfii</i> | L | | Y | RED | NA | Haida Gwaii | Alaska |
| | <i>Tetradontium repandum</i> | L | | Y | RED | NA | | Alaska |
| | <i>Andreaea sinuosa</i> | L | | Y | RED | NA | southwest | Alaska |
| | <i>Alsia californica</i> | L | | Y | BLUE | NA | Victoria | California |
| | <i>Bartramia stricta</i> | L | | Y | RED | E | Nanoose | California |
| | <i>Dicranella howei</i> | L | | Y | RED | NA | | California |
| | <i>Didymodon vinealis</i> var. <i>nicholsonii</i> | L | | Y | RED | NA | | California |
| | <i>Didymodon vinealis</i> var. <i>vinealis</i> | L | | Y | YELLOW | NA | southern interior, south coast | California |
| | <i>Fissidens pauperculus</i> | L | | Y | RED | E | North Vancouver | California |
| | <i>Orthotrichum tenellum</i> | L | | Y | RED | NA | Vancouver | California |
| | <i>Racomitrium pacificum</i> | L | | Y | BLUE | NA | Vancouver Island | California |
| | <i>Schistidium splendens</i> | L | | Y | RED | NA | | California |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--------------------------|-------------------------|
| MOSSES Continued | | | | | | | | |
| | <i>Barbula convoluta</i> var. <i>gallinula</i> | L | | Y | RED | NA | Bridal Falls | Northwest Territories |
| | <i>Cnestrum schisti</i> | L | | Y | BLUE | NA | north | Northwest Territories |
| | <i>Hilpertia (Tortula) scotteri</i> | L | | Y | RED | NA | | Northwest Territories |
| | <i>Myrinia pulvinata</i> | L | | Y | BLUE | NA | northeast | Northwest Territories |
| | <i>Schistidium rivulare</i> ssp. <i>latifolium</i> | L | | Y | BLUE | NA | | Northwest Territories |
| Common Lantern moss var. <i>alpestris</i> | <i>Andreaea megistospora</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Andreaea rupestris</i> var. <i>alpestris</i> (<i>Andreaea alpestris</i>) | L | | Y | YELLOW | NA | Haida Gwaii | Pacific Northwest coast |
| | <i>Andreaea schofieldiana</i> | L | | Y | BLUE | NA | Strathcona, Mt. Seymour | Pacific Northwest coast |
| | <i>Antrichia curtipendula</i> | L | | Y | YELLOW | NA | coast, southern interior | Pacific Northwest coast |
| A Ragged moss | <i>Bartramiopsis lescurii</i> | L | | Y | YELLOW | NA | Haida Gwaii | Pacific Northwest coast |
| | <i>Brachythecium asperrimum</i> | L | | Y | YELLOW | NA | coast, southern interior | Pacific Northwest coast |
| A Ragged moss | <i>Brachythecium holzingeri</i> | L | | Y | BLUE | NA | southeast | Pacific Northwest coast |
| A Ragged moss | <i>Brachythecium velutinum</i> var. <i>venustum</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Brotherella roellii</i> | L | | Y | BLUE | NA | coast | Pacific Northwest coast |
| | <i>Bryhnia hultenii</i> | L | | Y | RED | NA | Skeena River Watershed | Pacific Northwest coast |
| | <i>Bryum canariense</i> | L | | Y | RED | NA | Vancouver Island | Pacific Northwest coast |
| | <i>Bryum gemmascens</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Campylopus atrovirens</i> var. <i>cucullatifolius</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Claopodium crispifolium</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Ctenidium schofieldii</i> | L | | Y | BLUE | NA | Haida Gwaii | Pacific Northwest coast |
| | <i>Dendroalsia abietina</i> | L | | Y | YELLOW | NA | south coast | Pacific Northwest coast |
| | <i>Dichodontium olympicum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| Pale-stalked Broom moss | <i>Dicranum pallidisetum</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Ditrichum schimperi</i> | L | | Y | BLUE | NA | Vancouver Island | Pacific Northwest coast |
| | <i>Ditrichum zonatum</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--------------------------|-------------------------|
| MOSSES Continued | | | | | | | | |
| | <i>Ditrichum zonatum</i> var. <i>scabrifolium</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Entosthodon fascicularis</i> | L | | Y | RED | NA | Vancouver Island | Pacific Northwest coast |
| | <i>Epipterygium tozeri</i> | L | | Y | BLUE | NA | southwest | Pacific Northwest coast |
| | <i>Fissidens aphelotaxifolius</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Grimmia holzingeri</i> | L | | Y | BLUE | NA | southwest | Pacific Northwest coast |
| | <i>Grimmia mollis</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Heterocladium macouni</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Hookeria lucens</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Hypnum circinale</i> | L | | Y | YELLOW | NA | coast, southeast | Pacific Northwest coast |
| | <i>Hypnum dieckii</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Hypnum subimponens</i> | L | | Y | YELLOW | NA | throughout | Pacific Northwest coast |
| | <i>Isothecium cristatum</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Isothecium myosuroides</i> | L | | Y | YELLOW | NA | coast, south | Pacific Northwest coast |
| | <i>Kindbergia praelonga</i> | L | | Y | YELLOW | NA | coast, Rockies | Pacific Northwest coast |
| | <i>Kindberiga oregana</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Lescurea incurvata</i> var. <i>gigantea</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Lescurea julacea</i> | L | | Y | BLUE | NA | Haida Gwaii | Pacific Northwest coast |
| | <i>Leucolepis acanthoneura</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Neckera douglasii</i> | L | | Y | YELLOW | NA | coast, Rockies | Pacific Northwest coast |
| | <i>Orthotrichum lyelli</i> | L | | Y | YELLOW | NA | coast, southeast | Pacific Northwest coast |
| Coastal Leafy moss | <i>Plagiomnium insigne</i> | L | | Y | YELLOW | NA | coast, southern interior | Pacific Northwest coast |
| A leafy moss | <i>Plagiomnium venustum</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Plagiothecium undulatum</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Pleuroziopsis ruthenica</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Pogonatum contortum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Pohlia cardotii</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| | <i>Pohlia columbica</i> | L | | Y | BLUE | NA | coast | Pacific Northwest coast |
| | <i>Pohlia filum</i> | L | | Y | BLUE | NA | northwest, southeast | Pacific Northwest coast |
| | <i>Pohlia longibracteata</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Pohlia pacifica</i> | L | | Y | BLUE | NA | Vancouver Island | Pacific Northwest coast |
| Rusty Mountain Heath moss | <i>Pseudoleskea baileyi</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|-------------------------|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|---|
| MOSSES Continued | | | | | | | | |
| | <i>Pseudotaxiphllum elegans (Isopterygium elegans)</i> | L | | Y | YELLOW | NA | Coast, central interior | Pacific Northwest coast |
| A Sand moss | <i>Ptychomitrium gardneri</i> | L | | Y | BLUE | NA | | Pacific Northwest coast |
| A Sand moss | <i>Racomitrium elongatum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Racomitrium muticum</i> | L | | Y | YELLOW | NA | Haida Gwaii | Pacific Northwest coast |
| | <i>Racomitrium occidentale</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Racomitrium varium</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast |
| | <i>Schistidium heterophyllum</i> | L | | Y | BLUE | NA | southern interior | Pacific Northwest coast |
| | <i>Scleropodium obtusifolium</i> | L | | Y | YELLOW | NA | coast, southeast | Pacific Northwest coast |
| | <i>Scleropodium touretii var. colpophyllum</i> | L | | Y | BLUE | NA | coast, southeast | Pacific Northwest coast |
| | <i>Sphagnum pacificum</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Syntrichia (Tortula) laevipila</i> | L | | Y | YELLOW | NA | Vancouver Island | Pacific Northwest coast |
| | <i>Tortula amplexa</i> | L | | Y | BLUE | NA | Delta | Pacific Northwest coast |
| | <i>Tortula bolanderi</i> | L | | Y | RED | NA | Vancouver Island | Pacific Northwest coast |
| | <i>Tortula latifolia</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast |
| | <i>Tortula subulata</i> | L | | Y | BLUE | NA | southwest (primarily Vancouver Island) | Pacific Northwest coast |
| | <i>Trematodon boasii</i> | L | | Y | RED | NA | southwest | Pacific Northwest coast |
| | <i>Ulota megalospora</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Ulota obtusiuscula</i> | L | | Y | YELLOW | NA | coast | Pacific Northwest coast |
| | <i>Atrichum selywnii</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Atrichum undulatum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| Woody Ragged moss | <i>Brachythecium hylotapetum</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Buxbaumia viridis</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast and interior (possibly including Rockies) |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|---|
| MOSSES Continued | | | | | | | | |
| | <i>Claopodium bolanderi</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Conostomum tetragonum</i> | L | | Y | YELLOW | NA | throughout | Pacific Northwest coast and interior (possibly including Rockies) |
| Yellow-green Cushion moss var. <i>contermina</i> | <i>Dicranoweisia crispula</i> var. <i>contermina</i> | L | | Y | BLUE | NA | Vancouver Island | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Dicranum tauricum</i> | L | | Y | YELLOW | NA | throughout | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Ditrichum montanum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Encalypta intermedia</i> | L | | Y | BLUE | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Fissidens ventricosus</i> | L | | Y | BLUE | NA | southwest (primarily Vancouver Island) | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Fontinalis patula</i> | L | | Y | RED | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Heterocladium procurrens</i> | L | | Y | YELLOW | NA | primarily southeast | Pacific Northwest coast and interior (possibly including Rockies) |
| A Curls moss | <i>Homalothecium arenarium</i> | L | | Y | BLUE | NA | throughout | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Metaneckera menziesii</i> | L | | Y | YELLOW | NA | throughout | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Oligotrichum aligerum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Pohlia erecta</i> | L | | Y | RED | NA | | Pacific Northwest coast and interior (possibly including Rockies) |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|-------------------------|---------------------------------------|--------------------|----------------------|---------------------|------------------------|-----------------------------|--------------------------------|---|
| MOSSES Continued | | | | | | | | |
| | <i>Polytrichum lyallii</i> | L | | Y | YELLOW | NA | southwest | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Racomitrium macounii</i> | L | | Y | YELLOW | NA | southwest, Rockies | Pacific Northwest coast and interior (possibly including Rockies) |
| A Leafy moss | <i>Rhizomnium nudum</i> | L | | Y | YELLOW | NA | | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Scouleria marginata</i> | L | | Y | RED | E | central interior | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Thamnobryum neckeroides</i> | L | | Y | YELLOW | NA | south coast, southern interior | Pacific Northwest coast and interior (possibly including Rockies) |
| | <i>Barbula eustegia</i> | L | | Y | RED | NA | | Pacific Northwest interior (possibly including Rockies) |
| | <i>Bryoerythrophyllum columbianum</i> | L | | Y | RED | NA | Okanagan | Pacific Northwest interior (possibly including Rockies) |
| | <i>Bryum calobryoides</i> | L | | Y | BLUE | NA | | Pacific Northwest interior (possibly including Rockies) |
| | <i>Grimmia anomala</i> | L | | Y | BLUE | NA | | Pacific Northwest interior (possibly including Rockies) |
| | <i>Grimmia montana</i> | L | | Y | BLUE | NA | | Pacific Northwest interior (possibly including Rockies) |
| | <i>Herzogiella seligeri</i> | L | | Y | BLUE | NA | Kootenays | Pacific Northwest interior (possibly including Rockies) |
| | <i>Orthotrichum affine</i> | L | | Y | BLUE | NA | | Pacific Northwest interior (possibly including Rockies) |
| | <i>Orthotrichum rivulare</i> | L | | Y | RED | NA | | Pacific Northwest interior (possibly including Rockies) |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|--|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|----------------------|---|
| MOSSES Continued | | | | | | | | |
| | <i>Pohlia bolanderi</i> | L | | Y | BLUE | NA | southern interior | Pacific Northwest interior (possibly including Rockies) |
| | <i>Schistidium dupretii</i> | L | | Y | BLUE | NA | southeast | Pacific Northwest interior (possibly including Rockies) |
| | <i>Trichostomopsis australasiae</i> | L | | Y | YELLOW | NA | southern interior | Pacific Northwest interior (possibly including Rockies) |
| | <i>Tripterocladium leucocladulum</i> | L | | Y | BLUE | NA | Fraser River Gorge | Pacific Northwest interior (possibly including Rockies) |
| | <i>Didymodon johansenii</i> | L | | Y | BLUE | NA | north | Rockies (limited range) |
| | <i>Encalypta affinis ssp. macounii</i> | L | | Y | BLUE | NA | southeast | Rockies (limited range) |
| | <i>Encalypta spathulata</i> | L | | Y | BLUE | NA | southern interior | Rockies (limited range) |
| | <i>Mielichhoferia macrocarpa</i> | L | | Y | RED | NA | Rockies | Rockies (limited range) |
| | <i>Orthotrichum pellucidum</i> | L | | Y | YELLOW | NA | southeast, northwest | Rockies (limited range) |
| | <i>Palustriella decipiens</i> | L | | Y | YELLOW | NA | Cassiar Hwy | Rockies (limited range) |
| | <i>Bryum algovicum var. algovicum</i> | L | | Y | BLUE | NA | | |
| | <i>Bryum algovicum var. rutheanum</i> | L | | Y | BLUE | NA | | |
| | <i>Bryum capillare var. barbatum</i> | L | | Y | BLUE | NA | | |
| | <i>Bryum capillare var. torquescens</i> | L | | Y | BLUE | NA | | |
| | <i>Bryum pseudotriquetrum var. bimum</i> | L | | Y | BLUE | NA | | |
| Fire moss var. <i>xanthopus</i> | <i>Ceratodon purpureus var. xanthopus</i> | L | | Y | BLUE | NA | | |
| | <i>Crossidium sp. 1</i> | L | | Y | RED | NA | | |
| Curly Heron's-bill moss var. <i>flexicaule</i> | <i>Dicranum fuscescens var. flexicaule</i> | L | | Y | BLUE | NA | Omineca Mtns | |
| | <i>Dicranum majus var. orthophyllum</i> | L | | Y | BLUE | NA | | |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|-------------------|------------------------|
| MOSSES Continued | | | | | | | | |
| | <i>Didymodon vinealis</i> var. <i>brachyphyllus</i> | L | | Y | RED | NA | | |
| | <i>Drepanocladus lapponicus</i> | L | | Y | BLUE | NA | | |
| | <i>Drepanocladus pseudostramineus</i> (<i>Warnstorfia pseudostraminea</i>) | L | | Y | BLUE | NA | southwest | |
| | <i>Eurhynchium pulchellum</i> var. <i>barnesii</i> | L | | Y | BLUE | NA | Fraser Valley | |
| | <i>Eurhynchium riparioides</i> | L | | Y | BLUE | NA | | |
| | <i>Heterophyllum haidensis</i> | L | | Y | BLUE | NA | | |
| | <i>Hypnum cupressiforme</i> var. <i>lacunosum</i> | L | | Y | BLUE | NA | | |
| | <i>Lescuraea incurvata</i> var. <i>tenuiretis</i> | L | | Y | BLUE | NA | | |
| | <i>Lescuraea radicata</i> var. <i>denudata</i> | L | | Y | BLUE | NA | | |
| | <i>Lescuraea radicata</i> var. <i>pallida</i> | L | | Y | BLUE | NA | | |
| | <i>Meesia uliginosa</i> var. <i>alpina</i> | L | | Y | BLUE | NA | | |
| | <i>Neckera pennata</i> var. <i>pennata</i> | L | | Y | BLUE | NA | | |
| | <i>Philonotis fontana</i> var. <i>americana</i> | L | | Y | BLUE | NA | | |
| | <i>Philonotis fontana</i> var. <i>pumila</i> | L | | Y | BLUE | NA | | |
| | <i>Plagiothecium platyphyllum</i> | L | | Y | RED | NA | south | |
| Stiff-leaved Polytrichum var. <i>septentrionale</i> | <i>Polytrichum alpinum</i> var. <i>septentrionale</i> | L | | Y | BLUE | NA | | |
| | <i>Polytrichum commune</i> var. <i>perigoniale</i> | L | | Y | RED | NA | | |
| | <i>Racomitrium canescens</i> ssp. <i>latifolium</i> | L | | Y | BLUE | NA | | |
| | <i>Racomitrium pygmaeum</i> | L | | Y | BLUE | NA | | |
| Red-toothed Rock moss ssp. <i>canadense</i> | <i>Schistidium apocarpum</i> ssp. <i>canadense</i> | L | | Y | RED | NA | | |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|--|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|---------------------|---|
| MOSSES Continued | | | | | | | | |
| | <i>Schistidium pulvinatum</i> | L | | Y | BLUE | NA | | |
| | <i>Seligeria careyana</i> | L | | Y | RED | NA | Haida Gwaii | |
| A Peat moss | <i>Sphagnum rubiginosum</i> | L | | Y | BLUE | NA | Haida Gwaii | |
| A Peat moss | <i>Sphagnum sjorsii</i> | L | | Y | BLUE | NA | | |
| A Peat moss | <i>Sphagnum subsecundum</i> <i>var. contortum (Sphagnum contortum)</i> | L | | Y | BLUE | NA | | |
| A Peat moss | <i>Sphagnum subsecundum</i> <i>var. andrusii</i> | L | | Y | BLUE | NA | | |
| A Peat moss | <i>Sphagnum subsecundum</i> <i>var. inundatum</i> | L | | Y | BLUE | NA | | |
| | <i>Stegonia latifolia</i> <i>var. latifolia</i> | L | | Y | BLUE | NA | | |
| | <i>Stegonia latifolia</i> <i>var. pilifera</i> | L | | Y | BLUE | NA | | |
| | <i>Tayloria serrata</i> <i>var. serrata</i> | L | | Y | BLUE | NA | | |
| | <i>Tayloria serrata</i> <i>var. tenuis</i> | L | | Y | BLUE | NA | | |
| | <i>Tortula laevipila</i> <i>var. laevipila</i> | L | | Y | RED | NA | | |
| | <i>Tortula laevipila</i> <i>var. meridionalis</i> | L | | Y | RED | NA | | |
| Sidewalk moss/Rusty Steppe moss <i>var. hirsuta</i> | <i>Tortula ruralis</i> <i>var. hirsuta</i> | L | | Y | BLUE | NA | | |
| | <i>Trematodon montanus</i> | L | | Y | RED | NA | Haida Gwaii | |
| VASCULAR PLANTS | | | | | | | | |
| Pink sand-verbena | <i>Abronia umbellata</i> <i>var. acutalata</i> | R | 2 | | RED | NA | Vancouver Island | Washington (extirpated?) |
| Vine maple | <i>Acer circinatum</i> | R | 1 | | YELLOW | NA | SW British Columbia | SE Alaska, Washington, Oregon, N California |
| Bigleaf maple | <i>Acer macrophyllum</i> | R | 1 | | YELLOW | NA | SW British Columbia | Washington, Oregon, California |
| Deer foot | <i>Achlys triphylla</i> | R | 1 | | YELLOW | NA | SW British Columbia | Washington, Oregon, NW California |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|---------------------------------|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Pink Agoseris | <i>Agoseris lackschewitzii</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Dune bentgrass | <i>Agrostis pallens</i> | R | 1 | | BLUE | NA | Vancouver Island, BC west coast | Washington, Oregon, California |
| Olympic onion | <i>Allium crenulatum</i> | R | 1 | | RED | NA | Vancouver Island, Goulf Islands | Washington, Western Oregon |
| Saskatoon | <i>Amelanchier alnifolia</i> var. <i>humptulipensis</i> | R | 2 | | YELLOW | NA | Common in BC | Washington |
| Silver burweed | <i>Anmbrosia chamissonis</i> | R | 1 | | YELLOW | NA | Throughout BC Coast | Western BC |
| Dawson's angelica | <i>Angelica dawsonii</i> | R | 1 | | YELLOW | NA | Southeastern BC | Southwestern Alberta, Northern Idaho and Montana |
| Lake Louise Arnica | <i>Arnica louiseana</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Suksdorf's mugwort | <i>Artemisia suksdorfii</i> | R | 1 | | YELLOW | NA | Vancouver Island, West Coast | California, Oregon, Washington |
| Aleutian mugwort | <i>Artemisia tilesii</i> var. <i>unalaskensis</i> | R | 1 | | YELLOW | NA | Common in BC | Alaska |
| Wild ginger | <i>Asarum caudatum</i> | R | 1 | | YELLOW | NA | Common in BC | Idaho, Montana, Washington, Oregon, California |
| Olympic Mountain Aster | <i>Aster paucicapitatus</i> | R | 3 | Y | BLUE | NA | Vancouver Island Mtns | Olympic Mtns |
| Bourgeau's Milk-vetch | <i>Astragalus bourgovii</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Hill milk-wetch | <i>Astragalus collinus</i> | R | 1 | | YELLOW | NA | Southcentral BC | Idaho, Oregon, Washington |
| Timber Milk-vetch | <i>Astragalus miser</i> var. <i>miser</i> | R | 2 | Y | YELLOW | NA | Cascades, Rockies | Cascades, Rockies – Washington, Alberta, Montana |
| Timber Milk-vetch | <i>Astragalus miser</i> var. <i>serotinus</i> | R | 2 | Y | YELLOW | NA | Cascades, Rockies | Cascades, Rockies – Washington, Alberta, Montana |
| The Dalles milk-vetch | <i>Astragalus sclerocarpus</i> | R | 1 | | RED | NA | Southcentral BC | Washington, Northeastern Oregon |
| Lyall's mariposa lily | <i>Calochortus lyallii</i> | R | 1 | | RED | T | Southcentral BC | Southeastern Washington |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Polar sedge | <i>Carex arctiformis</i> | R | 1 | | YELLOW | NA | Northern BC | Alaska |
| Brownish sedge | <i>Carex brunnescens ssp. alaskana</i> | R | 1 | | YELLOW | NA | Northern BC | Alaska, Yukon |
| Brownish sedge | <i>Carex brunnescens ssp. pacifica</i> | R | 1 | | YELLOW | NA | Northwestern BC | Alaska |
| Coiled sedge | <i>Carex circinata</i> | R | 1 | | YELLOW | NA | Western BC | Alaska, Washington |
| Cordilleran sedge | <i>Carex cordillerana</i> | R | 1 | | YELLOW | NA | Eastern BC | Alberta |
| Enander's sedge | <i>Carex lenticularis var. dolia</i> | R | 1 | | BLUE | NA | Throughout BC | Southeastern Alaska, Southwestern Alberta, Northwestern Montana, Yukon |
| Deer Paintbrush | <i>Castilleja cervina</i> | R | 2 | Y | YELLOW | NA | Cascades, Rockies | Idaho, Washington, Montana |
| Elmer's Paintbrush | <i>Castilleja elmeri</i> | R | 2 | Y | YELLOW | NA | Coast Mtns, Cascades | Cascades – Washington |
| Boreal Paintbrush | <i>Castilleja fulva</i> | R | 3 | Y | BLUE | NA | Rockies | Rockies – Alberta, Yukon, Northwest Territories |
| Golden paintbrush | <i>Castilleja levisecta</i> | R | 1 | | RED | E | Vancouver Island | Washington, Oregon |
| Cliff paintbrush | <i>Castilleja rupicola</i> | R | 1 | | RED | NA | Cascades Mountains | Washington, Oregon |
| Thompson's paintbrush | <i>Castilleja thompsonii</i> | R | 1 | | YELLOW | NA | Thompson-Okanagan, Kootenay Mtns and Columbia Watershed | Washington, Oregon |
| Unalaska paintbrush | <i>Castilleja unalaskensis</i> | R | 1 | | YELLOW | NA | Common in Northwestern BC | Alaska, Yukon |
| Fischer's chickweed | | R | 1 | | BLUE | NA | Vancouver Island, Queen Charlotte Island | Alaska |
| Tall bugbane | <i>Cerastium fischerianum</i> <i>Cimicifuga elata</i> | R | 1 | | RED | NA | Lower Mainland | Washington, Northern Oregon |
| Hooker's Thistle | <i>Cirsium hookerianum</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Moss grass | | R | 1 | | RED | NA | Southeastern BC, Lower Fraser | Washington, Oregon |
| Pacific hemlock-parsley | <i>Coleanthus subtilis</i> <i>Conioselinum gmelinii</i> | R | 1 | | YELLOW | NA | Southwestern BC | Alaska, Washington, Oregon, California |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Fern-leaved Goldthread | <i>Coptis asplenifolia</i> | R | 2 | Y | YELLOW | NA | Haida Gwaii, Vancouver Island, Westcoast BC | southeast Alaska, Northern Washington |
| Scouler's corydalis | <i>Corydalis scouleri</i> | R | 1 | | RED | T | Vancouver Island | Coastal Washington, Northern Oregon |
| Suksdorf's hawthorn | <i>Crataegus douglasii</i> var. <i>suksdorfii</i> | R | 1 | | YELLOW | NA | Coastal BC | Coastal Washington, Oregon, California |
| Western low hawksbeard | <i>Crepis modocensis</i> var. <i>rostrata</i> | R | 1 | | RED | NA | Sothcentral BC | Washington |
| Menzies' larkspur | <i>Delphinium menziesii</i> ssp. <i>menziesii</i> | R | 1 | | YELLOW | NA | Southwestern BC | Washington |
| Sutherland's larkspur | <i>Delphinium sutherlandii</i> | R | 1 | | BLUE | NA | Souteastern BC | Eastern Washington, Northern Idaho, Northwestern Montana |
| Alaskan fairy-candelabra | <i>Douglasia alaskana</i> | R | 1 | | RED | NA | Northwestern BC | Souteastern Alaska, Southwestern Yukon |
| Gorman's douglasia | <i>Douglasia gormanii</i> | R | 1 | | BLUE | NA | Northern BC | Alaska, Yukon |
| Smooth douglasia | <i>Douglasia laevigata</i> var. <i>ciliolata</i> | R | 1 | | BLUE | NA | Vancouver Island, Queen Charlotte Island, south coastal Mountains | Washington, Oregon, Southern Alska |
| Lance-fruited Draba | <i>Draba lonchocarpa</i> var. <i>vestita</i> | R | 2 | Y | BLUE | NA | Haida Gwaii, Vancouver Island | southeast Alaska |
| Lance-fruited Draba | <i>Draba lonchocarpa</i> var. <i>thompsonii</i> | R | 3 | Y | BLUE | NA | Coast Mtns, Cascades Mtns, Selkirk Mtns | Cascades - Washington |
| Coast mountain draba | <i>Draba ruaxes</i> | R | 1 | | BLUE | NA | East of Coast-Cascade Mtns. | Alaska, Yukon, Northern Washington |
| Elmera | <i>Elmera racemosa</i> var. <i>racemosa</i> | R | 1 | | BLUE | NA | Southwestern BC | Northern Washington |
| Hornemann's willowherb | <i>Epilobium hornemannii</i> ssp. <i>behringianum</i> | R | 1 | | BLUE | NA | Queen Charlotte Island | Alaska |
| Small-flowered willowherb | <i>Epilobium leptocarpum</i> | R | 1 | | BLUE | NA | Rare throughout BC | Alaska, Montana, Idaho, Oregon |
| Golden Fleabane | <i>Erigeron aureus</i> | R | 2 | Y | YELLOW | NA | Cascades, Rockies | Cascades, Rockies – Washington, Alberta, Montana |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Cut-leaved daisy | <i>Erigeron compositus</i> var. <i>discoideus</i> | R | 1 | | RED | NA | South central British Columbia | Northcentral Washington |
| Woolly Daisy | <i>Erigeron lanatus</i> | R | 1 | Y | YELLOW | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Leiberg's fleabane | <i>Erigeron leibergii</i> | R | 1 | | RED | NA | South central British Columbia | Northcentral Washington |
| Purple daisy | <i>Erigeron pallens</i> | R | 1 | | YELLOW | NA | | Alberta, Torthwest Territories |
| Purple daisy | <i>Erigeron purpuratus</i> | R | 1 | | NR | NA | Throught BC | Yukon, Alaska, NWT |
| Salish Daisy | <i>Erigeron salishii</i> | R | 3 | Y | RED | NA | Vancouver Island Mtns | Cascades - Washington |
| Three-lobed Daisy | <i>Erigeron trifidus</i> | R | 1 | Y | RED | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Parsnip-flowered buckwheat | <i>Erigonum heracleoides</i> var. <i>angustifolium</i> | R | 1 | | YELLOW | NA | Southcentral BC, Southeastern BC | Washington, Oregon, Idaho |
| Snow buckwheat | <i>Erigonum niveum</i> | R | 1 | | YELLOW | NA | Southcentral BC | Washington, Oregon, Idaho |
| White glacier lily | <i>Erythronium montanum</i> | R | 1 | | BLUE | NA | Vancouver Island, south coastal Mountains | Washington, Northern Oregon |
| Swamp Gentian | <i>Gentiana douglasiana</i> | R | 2 | Y | YELLOW | NA | Haida Gwaii, Vancouver Island | Southeastern Alaska |
| Broad-petalled gentian | <i>Gentiana platypetala</i> | R | 2 | | YELLOW | NA | Vancouver Island, Queen Charlotte Island, Mid and Nort Coast of BC | Southeastern Alaska |
| American glehnia | <i>Glehnia littoralis</i> ssp. <i>leiocarpa</i> | R | 1 | | BLUE | NA | Vancouver Island, Queen Charlotte Island, West Coast | Washington, Oregon, California, Alaska |
| Puget Sound gumweed | <i>Grindelia integrifolia</i> | R | 1 | | YELLOW | NA | Coastal BC | Washington, Oregon, N California |
| Whited's halimolobos | <i>Halimolobos whitedii</i> | R | 1 | | RED | NA | South central British Columbia | Northern Washington |
| Rocky mountain helianthella | <i>Helianthella uniflora</i> var. <i>douglasii</i> | R | 1 | | YELLOW | NA | South central British Columbia | Idaho, Washington, Montana, Oregon |
| Golden aster | <i>Heterotheca villosa</i> var. <i>hispida</i> | R | 1 | | YELLOW | NA | Southcentral and Southeastern BC | Saskatchewan, California |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Small-flowered alumroot | <i>Heuchera micrantha</i> var. <i>diversifolia</i> | R | 1 | | YELLOW | NA | Coast Mtns. Of NW BC, Vancouver Island, Lower Mainland | Washington |
| Orange touch-me-not | <i>Impatiens aurella</i> | R | 1 | | BLUE | NA | BC east of Cascades | Idaho, Washington, Montana(?), Oregon(?) |
| Small-flowered ipomopsis | <i>Ipomopsis minutiflora</i> | R | 1 | | RED | NA | South central British Columbia | Northern Idaho and Northern Oregon |
| Tweedy's lewisia | <i>Lewisia tweedyi</i> | R | 1 | | RED | NA | South central British Columbia | Nothern to central Washington |
| Calder's Lovage | <i>Ligusticum calderi</i> | R | 3 | Y | BLUE | NA | Haida Gwaii, north Vancouver Island | southeast Alaska |
| Beach lovage | <i>Ligusticum scoticum</i> ssp. <i>hultenii</i> | R | 1 | | YELLOW | NA | Queen Charlotte Island, Central Coast of BC | Alaska |
| Verticillate-umbel lovage | <i>Ligusticum verticillatum</i> | R | 1 | | BLUE | NA | Southeastern BC | Northern Idaho and western Montana |
| Western lilaeopsis | <i>Lilaeopsis occidentalis</i> | R | 1 | | YELLOW | NA | BC Coastlines | S Alaska, Oregon, Washington, California |
| Brandegee's lomatium | <i>Lomatium brandegeei</i> | R | 1 | | BLUE | NA | SW and SC British Columbia | Washington |
| Geyer's desert-parsley | <i>Lomatium geyeri</i> | R | 1 | | YELLOW | NA | SC and SW British Columbia | Washington, Idaho, Montana |
| Martindale's lomatium | <i>Lomatium martindali</i> | R | 1 | | YELLOW | NA | SW British Columbia | Washington, Oregon, California |
| Sandberg's Desert-parsley | <i>Lomatium sandbergii</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Silverback luina | <i>Luina hypoleuca</i> | R | 1 | | YELLOW | NA | S Vancouver Island, SW British Columbia | Washington, Oregon, California |
| Yukon lupine | <i>Lupinus kuschei</i> | R | 1 | | BLUE | NA | Northern British Columbia | Yukon |
| Woodland tarweed | <i>Madia madioides</i> | R | 1 | | YELLOW | | | |
| Aleutian adder's-mouth orchid | <i>Malaxis diphyllis</i> | R | 1 | | BLUE | NA | Queen Charlotte Island | Alaska |
| Blazing-star | <i>Mentzelia laevicaulis</i> var. <i>parviflora</i> | R | 2 | | YELLOW | NA | Southcentral BC | Washington |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|---|
| VASCULAR PLANTS Continued | | | | | | | | |
| Mountain monkey-flower | <i>Mimulus tilingii</i> var. <i>caespitosus</i> | R | 1 | | YELLOW | NA | Common Throughout BC | Washington, Oregon, Idaho |
| Rocky Mountain sandwort | <i>Minuartia austromontana</i> | R | 1 | | BLUE | NA | Rockies | Alberta Rockies, Idaho, Utah, Wyoming, Montana, Oregon |
| Pygmy waterlily | <i>Nymphaea tetragona</i> | R | 1 | | BLUE | NA | Coastal BC, Central and Northern BC | Alaska, Northwestern Territories, disjunct in Manitoba |
| Water-parsley | <i>Oenanthe sarmentosa</i> | R | 1 | | YELLOW | NA | Coastal and Western BC | |
| Satinflower | <i>Olsynium douglasii</i> var. <i>douglasii</i> | R | 1 | | YELLOW | NA | Vancouver Island, Gulf Islands | Washington |
| Flat-topped broomrape | <i>Orobanche corymbosa</i> ssp. <i>mutabilis</i> | R | 1 | | RED | NA | Sothcentral BC, Southeast Rockies | Washington |
| Grand Coulee owl-clover | <i>Orthocarpus barbatus</i> | R | 1 | | RED | NA | Southcentral BC | Central Washington |
| Devil's club | <i>Oplopanax horridus</i> | R | 1 | | YELLOW | NA | Throughout BC | SW Alaska and NW Territories, Montana, Idaho, Oregon, Washington, Ontario, Michigan |
| Redwood sorell | <i>Oxalis oregana</i> | R | 1 | | RED | NA | Vancouver Island, Queen Charlotte Island | Washington, Oregon, California |
| Columbia River Locoweed | <i>Oxytropis campestris</i> var. <i>columbiana</i> | R | 2 | Y | BLUE | NA | Cascades, Rockies | Cascades, Rockies – Washington, Alberta, Montana |
| Jordal's Locoweed | <i>Oxytropis jordalii</i> ssp. <i>davisii</i> | R | 3 | Y | BLUE | NA | Rockies | Rockies – Alberta, Yukon, Northwest Territories |
| Scamman's locoweed | <i>Oxytropis scammaniana</i> | R | 1 | | BLUE | NA | Northern British Columbia | Alaska, Yukon, Southwest Northern Territories |
| Dwarf Poppy | <i>Papaver alpinum</i> | R | 1 | Y | NR | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Bracted lousewort | <i>Pedicularis bracteosa</i> var. <i>latifolia</i> | R | 1 | | YELLOW | NA | Southern BC, Central BC | Washington, Idaho |
| Bird's-beak Lousewort | <i>Pedicularis ornithorhyncha</i> | R | 2 | Y | YELLOW | NA | Haida Gwaii, Vancouver Island | southeast Alaska, Western Washington |
| Alberta penstemon | <i>Penstemon albertinus</i> | R | 1 | | YELLOW | NA | Southeastern BC | Alberta, Montana, Idaho |
| Oval Penstemon | <i>Penstemon ellipticus</i> | R | 1 | Y | YELLOW | NA | Rockies | Rockies – Alberta, Idaho, Montana |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|---|
| VASCULAR PLANTS Continued | | | | | | | | |
| Davidson's penstemon | <i>Penstemon davidsonii</i> <i>var. menziesii</i> | R | 1 | | YELLOW | NA | Southcentral BC, Southeastern BC | Washington, Oregon |
| Broad-leaved penstemon | <i>Penstemon ovatus</i> | R | 1 | | YELLOW | NA | Vancouver Island Lower Fraser Valley | Washington, N Oregon |
| Small-flowered penstemon | <i>Penstemon procerus</i> <i>var.</i> <i>tolmiei</i> | R | 2 | | YELLOW | NA | Common Throughout BC, except coast | Washington |
| Chelan penstemon | <i>Penstemon pruinosus</i> | R | 2 | | YELLOW | NA | Southern BC | N Washington |
| Lyall's Phacelia | <i>Phacelia lyallii</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Macbride's phacelia | <i>Phacelia mollis</i> | R | 1 | | RED | NA | Northwestern British Columbia | Alaska, Yukon, Southwest Northern Territories |
| Spreading phlox | <i>Phlox diffusa</i> <i>ssp.</i> <i>longistylis</i> | R | 1 | | YELLOW | NA | Southern BC, Midcoast and central BC | Alberta, Oregon, Washington |
| Toothed surf-grass | <i>Phyllospadix serrulatus</i> | R | 1 | | YELLOW | NA | Coastal BC | Alaska, Washington, Oregon |
| Common twinpod | <i>Physaria didymocarpa</i> | R | 1 | | BLUE | NA | Eastern British Columbia | Southwestern Alberta, Washington, Idaho, Wyoming |
| Small bog orchid | <i>Platanthera chorisiana</i> | R | 1 | | YELLOW | NA | Coastal BC | Alaska, Washington |
| Nodding semaphoregrass | <i>Pleuropogon refractus</i> | R | 1 | | BLUE | NA | Vancouver Island, Lower Mainland | Oregon, Washington, Northern California |
| Banff Bluegrass | <i>Poa laxa</i> <i>ssp. banffianna</i> | R | 1 | Y | RED | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Weeping bluegrass | <i>Poa marcida</i> | R | 1 | | YELLOW | NA | Vancouver Island, Lower Mainland | Western Washington, Northwestern Oregon |
| Elegant Jacob's ladder | <i>Polemonium elegans</i> | R,P | 3 | | BLUE | NA | Coast-Cascades Mts | Washington |
| Western Jacob's-ladder | <i>Polemonium occidentale</i> <i>ssp. occidentale</i> | R | 1 | | BLUE | NA | BC east of Cascades | western Alberta, Montana, California, Colorado |
| Nuttall's knotweed | <i>Polygonium douglasii</i> <i>ssp.</i> <i>nuttallii</i> | R | 1 | | YELLOW | NA | Southwestern BC | Washington, Oregon |
| Pacific polypody | <i>Polypodium amorphum</i> | R | 1 | | YELLOW | NA | Southwestern BC | Washington, Oregon |
| Kruckeberg's holly fern | <i>Polystichum kruckebergii</i> | R | 1 | | BLUE | NA | Northwest, South- central, and Southwestern BC | Southern Alska, CA, ID, northwestern MT, NV, OR, UT, WA |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|----------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|--|
| VASCULAR PLANTS Continued | | | | | | | | |
| Alaska Holly Fern | <i>Polystichum setigerum</i> | R | 2 | Y | RED | NA | Haida Gwaii, Vancouver Island | southeast Alaska |
| Cooley's Buttercup | <i>Ranunculus cooleyae</i> | R | 2 | Y | YELLOW | NA | Haida Gwaii, Vancouver Island | southeast Alaska |
| Pacific rhododendron | <i>Rhododendron macrophyllum</i> | R | 1 | | YELLOW | NAR | Westcoast of BC | Oregon, Washington, California |
| Coastal black goosberry | <i>Ribes divaricatum ssp. divariactum</i> | R | 1 | | YELLOW | NA | Vancouver Island, Gulf Island, Midcoast of BC | Washington, Oregon |
| Hooker's willow | <i>Salix hookeriana</i> | R | 1 | | YELLOW | NA | Western BC | Southern Alaska, Washington, Oregon, Northern California |
| Raup's Willow | <i>Salix raupii</i> | R | 3 | Y | RED | NA | Rockies | Rockies – Alberta, Yukon, Northwest Territories |
| Glabrous Dwarf Willow | <i>Salix reticulata ssp. glabellcarpa</i> | R | 3 | Y | RED | NA | Haida Gwaii, north Vancouver Island | southeast Alaska |
| Setchell's willow | <i>Salix setchelliana</i> | R | 1 | | BLUE | NA | Northwestern BC | Southern Alaska |
| Menzies' Burnet | <i>Sanguisorba menziesii</i> | R | 2 | Y | BLUE | NA | Haida Gwaii, Vancouver Island | southeast Alaska |
| Dwarf sawwort | <i>Saussurea nuda ssp. densa</i> | R | 1 | | YELLOW | NA | Southeastern BC | Alberta, Montana |
| Cordate-leaved saxifrage | <i>Saxifraga nelsoniana ssp. cascadenis</i> | R | 1 | | YELLOW | NA | Western BC, Southeastern BC | Washington, Oregon |
| Narrow-leaved skullcap | <i>Scutellaria angustifolia</i> | R | 1 | | BLUE | NA | Southeastern BC | Idaho, Oregon |
| Lance-leaved stonecrop | <i>Sedum lanceolatum var. nesioticum</i> | R | 1 | | YELLOW | NA | Southwestern BC | Washington |
| High Alpine Butterweed | <i>Senecio conterminus</i> | R | 1 | Y | BLUE | NA | Rockies | Rockies – Alberta, Idaho, Montana |
| Elmer's Butterweed | <i>Senecio elmeri</i> | R | 2 | Y | YELLOW | NA | Coast Mtns, Cascades | Cascades - Washington |
| Queen Charlotte Butterweed | <i>Senecio moresbiensis</i> | R | 3 | Y | BLUE | NA | Haida Gwaii, north Vancouver Island | southeast Alaska |
| Mount Sheldon Butterweed | <i>Senecio sheldonensis</i> | R | 1 | Y | BLUE | NA | north | Yukon, Northwest Territories |
| Henderson's checker-mallow | <i>Sidalcea hendersonii</i> | R | 1 | | BLUE | NA | Vancouver Island, Southwestern Coast | Washington, Oregon |
| Idaho blue-eyed-grass | <i>Sisyrinchium idahoense var. macounii</i> | R | 1 | | YELLOW | NA | Vancouver Island, Gulf Islands | Washington |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|--|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|---|
| VASCULAR PLANTS Continued | | | | | | | | |
| Okanogan Flameflower | <i>Talinum sedifforme</i> | R | 1 | Y | BLUE | NA | Okanagan | Columbia Basin – Washington |
| Evergreen huckleberry | <i>Vaccinium ovatum</i> | R | 1 | Y | YELLOW | NA | Southern BC, Midcoast and central BC | Washington, Oregon, California |
| ODONATA | | | | | | | | |
| Swift Forktail | <i>Ischnura erratica</i> | R | 1 | B | YELLOW | NA | South Coast | Pacific Northwest Coast |
| Sinuuous Snaketail | <i>Ophiogomphus occidentis</i> | R | 1 | B | YELLOW | NA | South | Washington, Oregon, Nevada, Montana Utah |
| Olive Clubtail | <i>Stylurus olivaceus</i> | R | 1 | B | RED | NA | Thompson-Okanagan | Washington, Oregon, Idaho, Utah, California |
| Black Petaltail | <i>Tanypteryx hageni</i> | R | 1 | B | BLUE | NA | Cultus Lake, Yale, Mt Garibaldi, Cypress Mtn | Pacific Northwest Coast |
| BUTTERFLIES | | | | | | | | |
| Clodius Apollo ssp. <i>pseudogallatinus</i> | <i>Parnassius clodius pseudogallatinus</i> | L | 3 | B | YELLOW | NA | Coast Mountains | Coast Mountains (Washington) |
| Rocky Mountain Apollo ssp. <i>olympiannus</i> | <i>Parnassius smintheus olympiannus</i> | L | 2 | B | YELLOW | NA | Vancouver Island (central) | Olympic Peninsula |
| Oregon Swallowtail | <i>Papilo bairdii oregonius</i> | L | 1 | B | YELLOW | NA | Southern Interior, Chilcotin | Eastern Washington, Eastern Oregon |
| Baird's Swallowtail, <i>piki</i> ssp | <i>Papilo bairdii pikei</i> | L | 2 | B | BLUE | NA | Peace River grasslands& slopes | Alberta (Peace River) |
| Spring White, ssp. <i>beringiensis</i> | <i>Pontia sisymbrii beringiensis</i> | L | 2 | B | BLUE | NA | Atlin River Watershed | Yukon |
| Margined White ssp. <i>tremblayi</i> | <i>Pieris marginalis tremblayi</i> | L | 3 | B | YELLOW | NA | Northern | Southern Yukon |
| Margined White ssp. <i>guppyi</i> | <i>Pieris marginalis guppyi</i> | L | 1 | B | RED | NA | Haines Highway, lower Tatshenshini River | Southeast Alaska |
| Sara Orange Tip, <i>alaskensis</i> ssp | <i>Anthocharis sara alaskensis</i> | L | 3 | B | YELLOW | NA | Northwest | Southern Yukon, Southeast Alaska |
| Canadian Sulphur | <i>Colias canadensis</i> | L | 1 | B | YELLOW | NA | Northern | Alberta, Alaska, Northwest Territories, Yukon |
| Reakirt's Copper, <i>charlottensis</i> ssp | <i>Lycaena mariposa charlottensis</i> | L | 2 | B | YELLOW | NA | Vancouver Island, Haida Gwaii, Northern Coast Range | Washington (Pacific Coast), Southwest Yukon, Southeast Alaska |
| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC | COSEWIC | Occurrences in | Occurrences outside BC |

| | | | | | Status ⁴ | status ⁵ | BC | |
|---|---|---|---|---|---------------------|---------------------|---|---|
| BUTTERFLIES Continued | | | | | | | | |
| Nelson's Juniper Hairstreak | <i>Callophrys gryneus nelsoni</i> | R | 1 | B | NR | NA | South | Pacific Northwest |
| Johnson's Hairstreak | <i>Loranthomitoura (Callophrys) johsoni</i> | P | 1 | B | RED | NA | Southwest | Pacific Coast (rare, localized) |
| Moss' Elfin, <i>mossii</i> ssp | <i>Incisalia (Callophrys) mossii mossii</i> | L | 1 | B | BLUE | NA | Southeast Vancouver Island (Garry Oak) | Washington, Oregon |
| Boisduval's Blue | <i>Icaricia icarioides blackmorei</i> | L | 2 | B | BLUE | NA | Vancouver Island (southeast) | Olympic Peninsula, Puget Trough |
| Bremner's Fritillary | <i>Speyeria zerene bremnerii</i> | L | 1 | B | BLUE | NA | Southeast Vancouver Island (Garry Oak) | San Juan Islands, Puget Trough, Willamette Valley |
| Albert's Fritillary | <i>Clossiana (Boloria) alberta</i> | L | 1 | B | BLUE | NA | Rockies | Alberta, Washington, Montana (rare) |
| Tacoma Fritillary | <i>Clossiana chariclea rainieri</i> | R | 1 | B | YELLOW | NA | Coast Mountains, Cascade Mountains | Washington (Cascades, Olympics) |
| Western Checkerspot | <i>Euphydryas chalcedona paradoxa</i> | L | 3 | B | YELLOW | NA | SE Vancouver Island, Cascades & Coast Mountains | Washington (Olympics) |
| Taylor's Checkerspot | <i>Euphydryas editha taylori</i> | R | 1 | B | RED | E | Hornby Island | Pacific Northwest Coast |
| Common Ringlet, <i>columbiana</i> ssp | <i>Coenonympha californiana columbiana</i> | L | 3 | B | YELLOW | NA | Southern Interior | Eastern Washington, Northern Idaho |
| Common Ringlet, <i>insulana</i> ssp | <i>Coenonympha californiana insulana</i> | R | 1 | B | RED | NA | Southeastern Vancouver Island (Garry Oak) | Pacific Northwest Coast |
| Common Woodnymph, <i>incana</i> ssp | <i>Cercyonis pegala incana</i> | L | 1 | B | BLUE | NA | Vancouver Island (east coast), Sunshine Coast | Pacific Northwest Coast (Washington, Oregon) |
| Vidler's Alpine | <i>Erebia vidleri</i> | L | 3 | B | YELLOW | NA | Cascade Mountains, Coast Mountains (alpine) | Olympics, Cascades |
| Great Arctic | <i>Oeneis nevadensis</i> | R | 1 | B | BLUE | NA | SW V. Island | Pacific Northwest Coast |
| White-veined Arctic, <i>edwardsi</i> ssp | <i>Oeneis bore edwardsi</i> | R | 1 | B | BLUE | NA | Rockies | Rockies |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|-------------------------------|-------------------------------------|--------------------|----------------------|---------------------|------------------------|-----------------------------|-------------------|------------------------|
| PORIFERA | | | | | | | | |
| Flattened Sac Sponge | <i>Grantia aff. compressa</i> | | | Y | NR | NA | | |
| Boot Sponge | <i>Rhabdocalyptus dawsoni</i> | | | Y | NR | NA | | |
| Cloud Sponge | <i>Aphrocallistes vastus</i> | | | Y | NR | NA | | |
| Thick White Felt Sponge | <i>Halichondria aff. fibrosa</i> | | | Y | NR | NA | | |
| Blue Encrusting Sponge | <i>Hymenamphiastra cyanocrupta</i> | | | Y | NR | NA | | California, Oregon |
| Red Crust Sponge | <i>Plocamilla igzo</i> | | | Y | NR | NA | | California |
| CNIDARIA | | | | | | | | |
| Bamboo Coral | <i>Isadella sp.</i> | | | Y | NR | NA | | |
| Tall, Deep Sea Anemone | <i>Synhalcurias sp.</i> | | | Y | NR | NA | | |
| PLATYHELMINTHES | | | | | | | | |
| Knobby Flatworm | <i>Hoploplana californica</i> | | | Y | NR | NA | | California |
| ECHINODERMATA | | | | | | | | |
| Brooding Feather Star | <i>Antedon aff. petasus</i> | | | Y | NR | NA | | |
| Fat Pentamera | <i>Pentamera trachyplaca</i> | | | Y | NR | NA | | California |
| White Sea Cucumber | <i>Ekmania diomedea</i> | | | Y | NR | NA | | Alaska |
| Purple Tentacled Sea Cucumber | <i>Thyonidium kurilensis</i> | | | Y | NR | NA | | Alaska, Washington |
| HEMICHORDATA | | | | | | | | |
| Orange Acorn Worm | <i>Saccoglossus sp.</i> | | | Y | NR | NA | | |
| ASCIDIACEA | | | | | | | | |
| Purple Lobular Sea Squirt | <i>Eudistomia purpuro-punctatum</i> | | | Y | NR | NA | Clayoquot Sound | Washington |
| Sandy Lobed Sea Squirt | <i>Ritterlla aequalisiphonis</i> | | | Y | NR | NA | | Washington, California |
| Megabyte Sea Squirt | <i>Megalodicopia hians</i> | | | Y | NR | NA | | |
| BRACHIOPODA | | | | | | | | |
| Tiny Shouldered Lampshell | <i>Platidia horni</i> | | | Y | NR | NA | | California |
| MOLLUSCA | | | | | | | | |
| Tiny Black Spotted Sea Cradle | <i>Hanleyella oldroydi</i> | | | Y | NR | NA | | Alaska, California |
| Corrugated Limpet | <i>Lepetodrilus corrugatus</i> | | | Y | NR | NA | | |
| Breaded White Top Shell | <i>Calliostoma bernardi</i> | | | Y | NR | NA | | California |
| Vent Snail | <i>Fucaria striata</i> | | | Y | NR | NA | | |
| Walking Clam | <i>Rhamphidonta retifera</i> | | | Y | NR | NA | | California |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|---------------------------------------|--------------------|----------------------|---------------------|------------------------|-----------------------------|---|------------------------------------|
| POGONOPHORA | | | | | | | | |
| Seep Tube Worm | <i>Lamellibrachia barhami</i> | | | Y | NR | NA | | California |
| ANNELIDA (MARINE) | | | | | | | | |
| Grub-like Sponge Worm | <i>Spinther alaskensis</i> | | | Y | NR | NA | | Alaska |
| Vent Spionid | <i>Lindaspio southwardorum</i> | | | Y | NR | NA | | |
| ARTHROPODA (MARINE) | | | | | | | | |
| Goose Barnacle | <i>Pollicipes polymerus</i> | | | Y | NR | NA | | |
| FISH | | | | | | | | |
| Salish Sucker | <i>Catostomus sp. 4</i> | R | | Y | RED | E | Fraser Valley | Washington |
| Nooksack Dace | <i>Rhinichthys sp. 4</i> | R | | Y | RED | E | Nooksack River tributaries | Washington |
| Umatilla Dace | <i>Rhinichthys umatilla</i> | R | | Y | RED | SC | Columbia River | Washington |
| Green Sturgeon | <i>Acipenser medirostris*</i> | R | | Y | RED | SC | Vancouver Island – West Coast | North Pacific |
| Shorthead Sculpin | <i>Cottus confusus</i> | R | | Y | BLUE | T | Kettle River, Columbia River | Columbia River System, Puget Sound |
| Columbia Mottled Sculpin | <i>Cottus bairdi hubbsi</i> | R | | Y | BLUE | SC | Kettle River | Columbia Basin |
| Inland Redband Trout | <i>Oncorhynchus mykiss gairdneri</i> | R | | Y | NR | NA | Columbia River, Fraser River, Athabasca River | Columbia Basin |
| White Sturgeon-Kootenai River | <i>Acipenser transmontanus pop. 1</i> | R | | Y | RED | SC | Kootenay River | Kootenay River System |
| Coho Salmon-Puget Sound/Strait of Georgia | <i>Oncorhynchus kisutch pop. 5</i> | R | | Y | YELLOW | NA | Strait of Georgia | Puget Sound |
| Y-Prickleback | <i>Allolumpenus hypochromus</i> | R | | Y | YELLOW | NAR | Pacific Coast | Pacific Northwest Coast |
| Chiselmouth | <i>Acrochelius alutaceus</i> | | | Y | BLUE | DD | Columbia River System, Fraser River System | Columbia River System |
| Bull Trout | <i>Salvelinus confluentus</i> | R | | Y | BLUE | NA | Fraser River, Squamish, Interior | Columbia River System |
| Filamented Rattail | <i>Coryphaenoides filifer</i> | P | | Y | NR | NA | | |
| Armorhead Sculpin | <i>Gymnocanthus galeatus</i> | P | | Y | NR | NA | | |
| Leister Sculpin | <i>Enophrys lucasi</i> | P | | Y | NR | NA | | |
| Dusky Rockfish | <i>Sebastes ciliatus</i> | P | | Y | NR | NA | | |

*If BC species is different from Asian species

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|--------------------------------|-----------------------------------|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|--|
| AMPHIBIANS AND REPTILES | | | | | | | | |
| Coast Tailed Frog | <i>Ascaphus truei</i> | R | 2 | Y | BLUE | SC | Coast, Cascades (west side) | Pacific Northwest Coast |
| Northwestern Salamander | <i>Abystoma gracile</i> | R | 2 | Y | NR | NAR | Pacific Mainland Coast, Vancouver Island | Pacific Northwest Coast |
| Long-toed Salamander | <i>Ambystoma macrodactylum</i> | R | 2 | Y | NR | NA | Throughout except North | Pacific Northwest, Idaho, Montana |
| Western Red-backed Salamander | <i>Plethodon vehiculum</i> | R | 1 | Y | YELLOW | NAR | Vancouver Island, Lower Mainland | Pacific Northwest Coast |
| Rough-skinned Newt | <i>Taricha granulosa</i> | R | 1 | Y | YELLOW | NA | Pacific Coast, Vancouver Island | Pacific Northwest Coast |
| Western Toad | <i>Bufo boreas</i> | R | 1 | Y | YELLOW | SC | Throughout except north, QCI | Pacific Northwest, Great Basin |
| Columbia Spotted Frog | <i>Rana lutiventris</i> | R | 3 | Y | YELLOW | NAR | Throughout except northeast | Southeast Alaska, Eastern Washington, Eastern Oregon, Idaho, Montana |
| Red-legged Frog | <i>Rana aurora</i> | R | 1 | Y | BLUE | SC | Vancouver Island, south coastal Mainland | Washington south to California |
| BIRDS | | | | | | | | |
| Peregrine Falcon | <i>Falco peregrinus pealei</i> | R | 1 | Y | BLUE | SC | Haida Gwaii, Central Coast | Alaska |
| Bald Eagle | <i>Haliaeetus leucocephalus</i> | P | 2 | Y | YELLOW | NAR | Throughout | Continental |
| Western Screech-Owl | <i>Otus kennicotti kennicotti</i> | R | 3 | Y | YELLOW | SC | Pacific Coast | Pacific Northwest Coast |
| Marbled Murrelet | <i>Brachyramphus marmoratus</i> | R | 1 | Y | RED | T | Pacific Coast | Pacific Coast |
| Ancient Murrelet | <i>Synthliboramphus antiquus</i> | P | 3 | Y | BLUE | SC | Pacific Coast | Northern Pacific Coast (global) |
| Cassin's Auklet | <i>Ptychoramphus aleuticus</i> | P | 3 | Y | BLUE | NA | Pacific Coast | Pacific Coast |
| Rhinoceros Auklet | <i>Cerorhinca monocerata</i> | P | 2 | B | YELLOW | NA | Pacific Coast | Washington, Oregon |
| Pigeon Guillemot | <i>Cephus columba</i> | R | 1 | Y | YELLOW | NA | Pacific Coast | Pacific Coast |
| Fork-tailed Storm-Petrel | <i>Oceanodroma furcata</i> | R | 1 | Y | YELLOW | NA | Pacific Coast | Pacific Coast |
| Black Oystercatcher | <i>Haematopus bachmanin</i> | P | 2 | Y | YELLOW | NA | Pacific Coast | Pacific Coast |
| Rock Sandpiper | <i>Calidris ptilocnemis</i> | R | 1 | W | YELLOW | NA | Pacific Coast | Pacific Northwest Coast |
| Black Turnstone | <i>Arenaria melanocephala</i> | R | 1 | M/W | YELLOW | NA | Pacific Coast | Pacific Coast |
| Great Blue Heron | <i>Ardea herodias fannini</i> | R | 3 | Y | BLUE | SC | Pacific Coast | Puget Sound, Prince William Sound |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|--|---|
| BIRDS CONTINUED | | | | | | | | |
| Pelagic Cormorant | <i>Phalacrocorax pelagicus pelagicus</i> | R | 1 | W | RED | NA | Haida Gwaii, North Coast | North Pacific Coast – global |
| Surf Scoter | <i>Melanitta perspicillata</i> | R | 1 | W | BLUE | NA | Pacific Coast | Pacific Coast |
| Barrow's Goldeneye | <i>Bucephala islandica</i> | P | 3 | Y | YELLOW | NA | Throughout | Pacific Northwest |
| Trumpeter Swan | <i>Cygnus buccinator</i> | R | 3 | W | BLUE | NAR | Northwest | Pacific Northwest, Prairies (breeding), Pacific Coast (wintering) |
| Sharp-tailed Grouse | <i>Tympanuchus phasianellus columbianus</i> | R | | Y | BLUE | NA | South-central Interior | Great Basin |
| Blue Grouse | <i>Dendro gapus obscurus</i> | R | 2 | Y | YELLOW | NA | Throughout | Western North America |
| White-tailed Ptarmigan | <i>Lagopus leucurus</i> | R | 2 | Y | YELLOW | NA | Alpine | Alaska, Yukon, Washington |
| Glaucous-winged Gull | <i>Larus glaucescens</i> | R | 3 | B | YELLOW | NA | Pacific Coast | Alaska |
| Red-breasted Sapsucker | <i>Sphyrapicus ruber</i> | R | 2 | Y | YELLOW | NA | Pacific Coast | Washington, Alaska, Yukon |
| Hammond's Flycatcher | <i>Empidonax hammondii</i> | R | 1 | B | YELLOW | NA | Throughout | Western North America |
| Pacific-slope Flycatcher | <i>Empidonax difficilis</i> | R | 1 | B | YELLOW | NA | Pacific Coast | Pacific Northwest |
| American Dipper | <i>Cinclus mexicanus</i> | R | 1 | Y | YELLOW | NA | Pacific Coast | Western North America |
| Cassin's Vireo | <i>Vireo cassinii</i> | | | B | YELLOW | NA | Pacific Coast | Pacific Coast |
| Northwestern Crow | <i>Corvus caurinus</i> | R | 2 | Y | YELLOW | NA | Pacific Coast | Pacific Northwest Coast |
| Steller's Jay | <i>Cyanocitta stelleri carlottae</i> | R | 3 | Y | BLUE | NA | Haida Gwaii | Southeast Alaska |
| Golden-crowned Sparrow | <i>Zonotrichia atricapilla</i> | R | 2 | Y | YELLOW | NA | Throughout | Pacific Northwest, California |
| Vesper Sparrow | <i>Pooecetes gramineus affinis</i> | R | 2 | B | RED | NA | Southeast Vancouver Island (Garry Oak) | Pacific Northwest Coast |
| Brewer's Sparrow | <i>Spizella breweri taverni</i> | R | 2 | B | YELLOW | NA | Northwest, Rockies | Rockies (Alberta, Montana), Alaska |
| Gray-crowned Rosy Finch | <i>Leucosticte tephrocotis</i> | R | 1 | Y | YELLOW | NA | Throughout | Western North America |
| Varied Thrush | <i>Ixoreus naevius</i> | R | 1 | Y | YELLOW | NA | Throughout | Pacific Northwest, California |
| Townsend's Warbler | <i>Dendroica townsendi</i> | R | 2 | B | YELLOW | NA | Throughout | Pacific Northwest, California |
| MacGillivray's Warbler | <i>Oporornis tolmiei</i> | R | 1 | B | YELLOW | NA | Throughout | Western North America |
| Chestnut-backed Chickadee | <i>Parus rufescens</i> | R | 1 | Y | YELLOW | NA | Pacific Coast | Pacific Coast |

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---------------------------------|---|--------------------|----------------------|---------------------|------------------------|-----------------------------|---------------------------------------|--|
| MAMMALS | | | | | | | | |
| Southern Red-backed Vole | <i>Clethrionomys gapperi occidentalis</i> | R | 2 | Y | RED | NA | Southwest | Northwest Washington |
| Sea Otter | <i>Enhydra lutris (kenyoni)*</i> | R | 1 | Y | RED | T | Vancouver Island (west coast) | Washington, Alaska |
| Snowshoe Hare | <i>Lepus americanus washingtonii</i> | R | 2 | Y | RED | NA | Vancouver | Western Washington |
| Long-tailed Weasel | <i>Mustela frenata altifrontalis</i> | R | 1 | Y | RED | NA | Southwest | Pacific Northwest Coast (Washington, Oregon) |
| Keen's Long-eared Myotis | <i>Myotis keenii</i> | R | 3 | Y | RED | SC | Pacific Coast | Western Washington |
| Bighorn Sheep | <i>Ovis canadensis</i> | P | 2 | Y | BLUE | NA | Rockies, Central Interior | Pacific Northwest, east of Cascades |
| Dall's Sheep | <i>Ovis dalli dalli</i> | R | 2 | Y | BLUE | NA | North-central, Northwest | Alaska, Yukon |
| Cascade Mantled Ground Squirrel | <i>Spermophilus saturatus</i> | R | 2 | Y | BLUE | NAR | Cascades | Cascades |
| Northern Bog Lemming | <i>Synaptomus borealis artemisiae</i> | R | 2 | Y | RED | NA | Okanagan | Okanagon (Washington) |
| Least Chipmunk | <i>Tamias minimus oreocetes</i> | R | 1 | Y | BLUE | NA | Southeast (Rockies) | Rockies (Alberta, Montana) |
| Red-tailed Chipmunk | <i>Tamias ruficaudus ruficaudus</i> | R | 2 | Y | RED | NA | Southeast (Rockies) | Rockies (Alberta, Montana) |
| Red-tailed Chipmunk | <i>Tamias ruficaudus simulans</i> | R | 2 | Y | BLUE | NA | Southeast (Selkirks) | Eastern Washington, Idaho, Montana |
| Black Bear | <i>Ursus americanus emmonsii</i> | R | 1 | Y | BLUE | NA | Alesk Watershed, Tatseshini Watershed | Southeast Alaska |
| Grizzly Bear | <i>Ursus arctos horribilis</i> | | | Y | BLUE | SC | | |

*Significant portion of subspecies is in BC (species also found in Asia). Listed at the species level.

| Common Name | Latin Name | Basis ¹ | Portion ² | Season ³ | BC Status ⁴ | COSEWIC status ⁵ | Occurrences in BC | Occurrences outside BC |
|---|---------------------------------|--------------------|----------------------|---------------------|------------------------|--------------------------------------|--|---|
| POTENTIALLY DISCRETE POPULATIONS OR INCIPIENT SUBSPECIES LISTED BY CDC | | | | | | | | |
| Yellow-legged Meadowhawk | <i>Sympetrum vicinum</i> | R | 1 | B | BLUE | NA | Southeastern Vancouver Island, Fraser Valley | Pacific Northwest |
| Sandhill Crane-Georgia Depression | <i>Grus canadensis pop. 1</i> | P | 3 | B | RED | NA | Southwest | |
| Western Meadowlark-Georgia Depression Population | <i>Sturnella neglecta pop 1</i> | R | 2 | B | RED | NA | Southeast Vancouver Island (Garry Oak) | Pacific Northwest Coast |
| Western Bluebird-Georgia Depression Population | <i>Sialia mexicana pop. 1</i> | R | 2 | B | RED | NA | Southeast Vancouver Island (Garry Oak) | Pacific Northwest Coast |
| Gray Whale-Northeast Pacific Population | <i>Eschrichtius robustus</i> | P | | B | BLUE | NAR | | |
| Caribou-Southern population | <i>Rangifer tarandus pop 1</i> | P | 3 | Y | RED | SC | Eastern, Rockies | Northern Idaho, Northeastern Washington |
| Killer Whale-North Pacific Resident Population | <i>Orca orca pop 1</i> | P | | Y | RED | E (southern pop.), T (northern pop.) | Pacific Coast | Pacific Coast |
| Killer Whale-North Pacific Offshore Population | <i>Orca orca pop 2</i> | P | | Y | BLUE | SC | Pacific Coast | Pacific Coast |
| Killer Whale-North Pacific Transient Population | <i>Orca orca pop 3</i> | P | | Y | RED | T | Pacific Coast | Pacific Coast |

¹Basis:

P – Significant Portion of the Species’ Population is in BC

R – Significant Portion of the Species’ Range is in BC

L – Significant Portion of the Species’ Location Records are in BC. MOSSES – location records are from herbarium records: New York Botanical Garden

(www.nybg.org/bsci/hcol/bryo) and the University of British Columbia (herbarium.botany.ubc.ca). BUTTERFLIES – location records from Guppy and Shepherd (2001)

²Portion:

1 – 33% - 50% of Population/Range is in BC

2 – 50% - 75% of Population/Range is in BC

3 - > 75% of Population/Range is in BC

³Season:

W – Winter Population

B – Breeding Population

M – Migratory Population

Y – Year-round Population

⁴BC Status:

RED: Extirpated, Endangered, Threatened
BLUE: Vulnerable
YELLOW: Not-at-Risk
NR: Not Ranked

⁵COSEWIC Status:
SX: Extinct
SH: Extirpated
E: Endangered
T: Threatened
SC: Special Concern
NAR: Not-at-Risk
DD: Data Deficient
NA: Not Yet Assessed